

Vode Rail Lengths

Overview of Vode Rail Length availability. Vode offers standard fixture lengths every 12", and also has the ability to offer custom rail lengths.

Technical Support: 707.996.9898 | technicalsupport@vode.com

Contents


Overview		
Introduction	3	
Direct & Indirect Fixtures	3	
Vode Rail Lengths		
System 107	4-5	
System 207	6-7	
System 707 ZipOne / ZipTwo / Micro Profile	8-9	
System 707 ZipTwo Square	10-11	
System 707 ZipThree	12	
System 807	13	
System 907	15	

Introduction

This guide includes technical information to help you understand the different rail lengths Vode can supply. Vode has standard offerings of 24", 36", 48", 60", 72", 96", 108", 120", 132" and 144" length rails. The design and manufacturing process of Vode's fixtures allows for custom lengths to be specified. Vode offers rail lengths from 11" to 144".

Vode's LED boards allow for many fixture lengths to be fully illuminated. Some rail lengths will not be fully illuminated and have a light gap. This is when there is no light from the end of the fixture to the first LED. Vode configures LED boards so they are centered in the fixture. Any light gaps that occur will be evenly spaced on each end of the fixture as standard. Gapping can be consolidated at one end of the rail as well. Please contact factory. The following pages break down all the rail length options and highlight any gaps that may occur.

Examples shown below.



Direct & Indirect Fixtures

Indirect Light

For indirect lighting applications, a light gap is less noticeable. For lighting installations where the fixture is not seen, such as an indirect cove with ZipWave, we recommend using standard fixture lengths when possible, as the overlapping light output between fixtures compensates for spacing between them. For non-standard length direct/indirect fixtures, such as our 207 BoxRail, any gapping for the indirect portion is typically not noticeable. Depending on how close the fixture is suspended from the ceiling, the light output from the start of one fixture to the next will fill in resulting in minimal gapping.

Direct Light

For direct lighting, a light gap may be visible for some non-standard fixture lengths. When the fixture is turned on a predetermined portion on **both ends** of the fixture will not be illuminated. Please reference the system specific guide on the following pages to locate the gap size according to fixture length.

System 107

BoxRail, RaceRail, and WingRail are offered in rail lengths up to 72" DoubleBox and DoubleRace are offered in rail lengths up to 96"

Rail Length (in)	Light Gap (in) (Zipper Board) (per rail end)	Light Gap (in) (Button Board) (per rail end)
11		
12		
13	0.5	1
14		
15		1
16	0.5	2
17	1	3
18	1.5	4
19	2	5
20		6
21		7
22	0.5	
23		1
24	Standard R	ail Length
25	0.5	1
26		
27		1
28	0.5	2
29		3
30		4
31	0.5	5
32		
33		1
34	0.5	
35		1
36	Standard R	ail Length
37	0.5	1
38		
39		1
40	0.5	2
41		3
42		
43	0.5	1
44		
45		1
46	0.5	
47		1
48	Standard R	ail Length
49	0.5	1
50		
51		1

Rail Length (in)	Light Gap (in) (Zipper Board) (per rail end)	Light Gap (in) (Button Board) (per rail end)
52	0.5	
53		1
54		
55	0.5	1
56		
57		1
58	0.5	
59		1
60	Standard F	Rail Length
61	0.5	1
62		
63		1
64	0.5	
65		1
66		
67	0.5	1
68		
69		1
70		
71		1
72	Standard F	Rail Length
73		1
74		
75		1
76		
	0.5	
77	0.5	1
77		1
77 78		1
77 78 79	 0.5	1 1
77 78 79 80	0.5	1 1
77 78 79 80 81	0.5	1 1 1
77 78 79 80 81 82	0.5	1 1
77 78 79 80 81 82 83	0.5	1 1
77 78 79 80 81 82 83	0.5 0.5 0.5	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1
77 78 79 80 81 82 83 84	0.5 0.5 0.5	1 1 1
77 78 79 80 81 82 83 84 85 86 87	0.5 0.5 0.5	1 1 1
77 78 79 80 81 82 83 84 85 86	0.5 0.5 0.5 	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1
77 78 79 80 81 82 83 84 85 86 87	0.5 0.5 0.5 0.5	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1
77 78 79 80 81 82 83 84 85 86 87 88	0.5 0.5 0.5 0.5	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1

Rail Length (in)	Light Gap (in) (Zipper Board) (per rail end)	Light Gap (in) (Button Board) (per rail end)
93		1
94	0.5	
95		1
96	Standard F	Rail Length

Rail Length (in)	Light Gap Downlight (in) (Zipper Board) (per rail end)	Light Gap Uplight (in) (Zipper Board) (per rail end)	Rail Length (in)	Light Gap Downlight (in) (Zipper Board) (per rail end)	Light Gap Uplight (in) (Zipper Board) (per rail end)
24	Standard R	ail Length	67	0.33	0.5
25	0.33	0.5	68	0.83	1
26	0.83	1	69		
27	1.33		70	0.33	0.5
28	0.33	0.5	71	0.83	
29	0.83	1	72	Standard F	Rail Length
30			73	0.33	0.5
31	0.33	0.5	74	0.83	
32	0.83	1	75		
33			76	0.33	0.5
34	0.33	0.5	77	0.83	1
35	0.83	1	78		
36	Standard R		79	0.33	0.5
37	0.33	0.5	80	0.83	1
38	0.83	1	81	1.33	
39			82	0.33	0.5
40	0.33	0.5	83	0.83	1
41	0.83	1	84	1.33	
42			85	0.36	0.5
43	0.33	0.5	86	0.86	1
44	0.83	1	87		
45			88	0.35	0.5
46	0.33	0.5	89	0.85	1
47	0.83	1	90		
48	Standard R	ail Length	91	0.85	0.5
49	0.33	0.5	92	0.85	1
50	0.83	1	93		
51			94	0.33	0.5
52	0.33	0.5	95	0.83	1
53	0.83	1	96	Standard F	Rail Length
54			97	0.33	0.5
55	0.33	0.5	98	0.83	1
56	0.83	1	99	1.33	
57			100	1.83	0.5
58	0.33	0.5	101	2.33	1
59	0.83	1	102	2.83	1.5
60	Standard R	ail Length	103	3.33	2
61	0.33	0.5	104	3.83	2.5
62	0.83		105	4.33	3
63			106	0.37	3.5
64	0.33	0.5	107	0.87	4
65	0.83	1	108		
66			109	0.37	0.5

Rail Length (in)	Light Gap Downlight (in) (Zipper Board) (per rail end)	Light Gap Uplight (in) (Button Board) (per rail end)
110	0.86	1
111		
112	0.36	0.5
113	0.86	1
114		
115	0.35	0.5
116	0.85	1
117		
118	0.33	0.5
119	0.83	
120	Standard F	Rail Length
121	0.33	0.5
122	0.83	
123	1.33	
124	1.83	0.5
125	2.33	1
126	2.83	1.5
127	0.38	2
128	0.88	2.5
129	1.33	
130	0.37	0.5
131	0.87	1
132		
133	0.36	0.5
134	0.86	1
135		
136	0.36	0.5
137	0.86	1
138		
139	0.36	0.5
140	0.85	
141		
142	0.33	0.5
143		
144	Standard F	Rail Length

Rail Length (in)	Light Gap (in) (Zipper Board) (per rail end)	Rail Length (in)	Light Gap (in) (Zipper Board) (per rail end)	Rail Length (in)	Light Gap (in) (Zipper Board) (per rail end)
9.25		49	0.44	90	
10	0.44	50	0.94	91	0.43
11	0.94	51		92	0.93
12		52	0.44	93	
13	0.44	53	0.94	94	0.43
14	0.94	54		95	0.93
15	1.44	55	0.44	96	Standard Rail
16	1.94	56	0.94	0.7	Length
17	2.44	57		97	0.41
18	2.94	58	0.44	98	0.91
19	0.44	59	0.94	99	1.41
20	0.94	60	Standard Rail	100	1.91
21		04	Length	101	2.41
22	0.44	61	0.44	102	2.91
23	0.94	62	0.94	103	3.41
24	Standard Rail	63		104	3.91
0.5	Length	64	0.44	105	4.41
25	0.44	65	0.94	106	0.46
26	0.94	66		107	0.96
27	1.44	67	0.44	108	Standard Rail Length
28	0.44	68	0.94	109	0.45
29	0.94	69		110	0.95
30		70	0.44	111	
31	0.44	71	0.94	112	0.44
32	0.94	72	Standard Rail Length	113	0.94
33	0.44	73	0.44	114	
34	0.44	74	0.94	115	0.43
35	0.94	75		116	0.93
36	Standard Rail Length	76	0.44	117	
37	0.44	77	0.94	118	0.42
38	0.94	78		119	0.92
39		79	0.44	120	Standard Rail
40	0.44	80	0.94		Length
41	0.94	81	1.44	121	0.41
42		82	0.44	122	0.91
43	0.44	83	0.94	123	1.41
44	0.94	84	1.44	124	1.91
45		85	0.45	125	2.41
46	0.44	86	0.95	126	2.91
47	0.94	87		127	0.46
48	Standard Rail	88	0.44	128	0.96
	Length	89	0.94	129	

Rail Length (in)	Light Gap (in) (Zipper Board) (per rail end)
130	0.46
131	0.96
132	Standard Rail Length
133	0.45
134	0.95
135	
136	0.44
137	0.94
138	
139	0.43
140	0.93
141	
142	0.42
143	
144	Standard Rail Length

Rail Length (in)	Light Gap (in) (Zipper Board) (per rail end)
10	0.5
11	1
12	1.5
13	0.5
14	1
15	1.5
16	2
17	2.5
18	3
19	0.5
20	1
21	1.5
22	0.5
23	1
24	Standard Rail Length
25	0.5
26	1
27	1.5
28	0.5
29	1
30	1.5
31	0.5
32	1
33	
34	0.5
35	1
36	Standard Rail Length
37	0.5
38	1
39	1.5
40	0.5
41	1
42	
43	0.5
44	1
45	
46	0.5
47	1
48	Standard Rail
	Length
49	0.5

Rail Length (in)	Light Gap (in) (Zipper Board) (per rail end)
50	1
51	
52	0.5
53	1
54	
55	0.5
56	1
57	
58	0.5
59	1
60	Standard Rail Length
61	0.5
62	1
63	
64	0.5
65	1
66	
67	0.5
68	1
69	
70	0.5
71	1
72	Standard Rail Length
73	0.5
74	1
75	
76	0.5
77	1
78	
79	0.5
80	1
81	1.5
82	0.5
83	1
84	1.5
85	0.5
86	1
87	1.5
88	0.5
89	1
90	

Rail Length (in)	Light Gap (in) (Zipper Board) (per rail end)
91	0.5
92	1
93	
94	0.5
95	1
96	Standard Rail Length
97	0.5
98	1
99	1.5
100	2
101	2.5
102	3
103	3.5
104	4
105	4.5
106	0.5
107	1
108	Standard Rail Length
109	0.5
109 110	0.5 1
110	1
110 111	1
110 111 112	1 0.5
110 111 112 113	1 0.5
110 111 112 113 114	1 0.5 1
110 111 112 113 114 115	1 0.5 1 0.5
110 111 112 113 114 115 116	1 0.5 1 0.5
110 111 112 113 114 115 116 117 118 119	1 0.5 1 0.5 1
110 111 112 113 114 115 116 117	1 0.5 1 0.5 1 0.5
110 111 112 113 114 115 116 117 118 119	1 0.5 1 0.5 1 0.5 1 Standard Rail
110 111 112 113 114 115 116 117 118 119	1 0.5 1 0.5 1 0.5 1 Standard Rail Length
110 111 112 113 114 115 116 117 118 119 120	1 0.5 1 0.5 1 0.5 1 0.5 1 Standard Rail Length 0.5
110 111 112 113 114 115 116 117 118 119 120 121 122 123 124	1 0.5 1 0.5 1 0.5 1 Standard Rail Length
110 111 112 113 114 115 116 117 118 119 120 121 122 123 124 125	1 0.5 1 0.5 1 0.5 1 Standard Rail Length
110 111 112 113 114 115 116 117 118 119 120 121 122 123 124 125 126	1 0.5 1 0.5 1 0.5 1 Standard Rail Length
110 111 112 113 114 115 116 117 118 119 120 121 122 123 124 125 126 127	1 0.5 1 0.5 1 0.5 1 Standard Rail Length
110 111 112 113 114 115 116 117 118 119 120 121 122 123 124 125 126 127 128	1 0.5 1 0.5 1 0.5 1 Standard Rail Length
110 111 112 113 114 115 116 117 118 119 120 121 122 123 124 125 126 127	1 0.5 1 0.5 1 0.5 1 Standard Rail Length

Rail Length (in)	Light Gap (in) (Zipper Board)
	(per rail end)
131	1
132	Standard Rail Length
133	0.5
134	1
135	
136	0.5
137	1
138	
139	0.5
140	1
141	
142	0.5
143	1
144	Standard Rail Length

Rail Length (in) Light Gap (in (Zipper Board (per rail end)		
10	0.33	
11	0.83	
12	1.33	
13	0.33	
14	0.83	
15	1.33	
16	1.83	
17	2.33	
18	2.83	
19	0.33	
20	0.83	
21	1.33	
22	0.33	
23	0.83	
24	Standard Rail Length	
25	0.33	
26	0.83	
27	1.33	
28	0.33	
29	0.83	
30	1.33	
31	0.33	
32	0.83	
33		
34	0.33	
35	0.83	
36	Standard Rail Length	
37	0.33	
38	0.83	
39	1.33	
40	0.33	
41	0.83	
42		
43	0.33	
44	0.83	
45		
46	0.33	
47	0.83	
48	Standard Rail Length	
49	0.33	

Rail Length (in)	Light Gap (in) (Zipper Board) (per rail end)
50	0.83
51	
52	0.33
53	0.83
54	
55	0.33
56	0.83
57	
58	0.33
59	0.83
60	Standard Rail Length
61	0.33
62	0.83
63	
64	0.33
65	0.83
66	
67	0.33
68	0.83
69	
70	0.33
71	0.83
72	Standard Rail Length
73	0.33
74	0.83
75	
76	0.33
77	0.83
78	
79	0.33
80	0.83
81	1.33
82	0.33
83	0.83
84	1.33
85	0.36
86	0.86
87	1.36
88	0.36
89	0.86
00	

Light Gap (in) (Zipper Board) (per rail end)	
0.36	
0.86	
0.35	
0.85	
Standard Rail Length	

90

Rail Length (in)	Light Gap (in) (Zipper Board) (per rail end)
9.25	
10	0.44
11	0.94
12	
13	0.44
14	0.94
15	1.44
16	1.94
17	2.44
18	2.94
19	0.44
20	0.94
21	
22	0.44
23	
24	Standard Rail Length
25	0.44
26	0.94
27	1.44
28	0.44
29	0.94
30	Standard Rail Length
31	0.44
32	
33	
34	
35	
36	Standard Rail Length
37	0.44
38	0.94
39	
40	0.44
41	
42	
43	
44	
45	
46	
47	
48	Standard Rail Length

Rail Length (in)	Light Gap (in) (Zipper Board) (per rail end)	
49	0.44	
50		
51		
52		
53		
54		
55		
56		
57		
58		
59		
60	Standard Rail Length	
61		
62		
63		
64		
65		
66		
67		
68		
69		
70		
71		
72	Standard Rail Length	
73		
74		
75		
76	0.44	
77		
78		
79	0.44	
80	0.94	
81	1.44	
82	0.44	
83	0.94	
84	1.44	
85	0.45	
86	0.95	
87		
88	0.44	
89		

Rail Length (in)	Light Gap (in) (Zipper Board) (per rail end)
90	Standard Rail Length
91	
92	
93	
94	
95	
96	Standard Rail Length
97	0.41
98	0.91
99	1.41
100	1.91
101	2.41
102	2.91
103	3.41
104	3.91
105	4.41
106	0.46
107	0.96
108	Standard Rail Length
109	0.45
110	
111	
112	
113	
114	
115	
116	
117	
118	
119	
120	Standard Rail Length
121	0.41
122	0.91
123	1.41
124	1.91
125	2.41
126	2.91
127	0.46
128	0.96
129	

System 807 | Nexa

Rail Length (in)	Light Gap (in) (Zipper Board) (per rail end)
130	0.46
131	
132	Standard Rail Length
133	
134	
135	
136	
137	
138	
139	
140	
141	
142	
143	
144	Standard Rail Length

Rail Length (in)	Light Gap (in) (Zipper Board) (per rail end)	Light Gap (in) (Button Board) (per rail end)	Rail Length (in)	Light Gap (in) (Zipper Board) (per rail end)	Light Gap (in) (Button Board) (per rail end)
9.25			53	0.94	0.6
10	0.44		54		
11	0.94	0.5	55	0.44	0.6
12			56	0.94	
13	0.44	0.5	57		0.6
14	0.94	1	58	0.44	
15	1.44	1.5	59	0.94	0.6
16	1.94	2	60	Standard F	Rail Length
17	2.44	2.5	61	0.44	0.6
18	2.94	3	62	0.94	
19	0.44	3.5	63		0.7
20	0.94		64	0.44	
21		0.5	65	0.94	0.7
22	0.44		66		
23	0.94	0.5	67	0.44	0.7
24	Standard F	Rail Length	68	0.94	
25	0.44	0.5	69		0.7
26	0.94	1	70	0.44	
27	1.44	1.5	71	0.94	0.7
28	0.44	2	72	Standard F	Rail Length
29	0.94	2.5	73	0.44	0.7
30			74	0.94	
31	0.44	0.5	75		0.7
32	0.94		76	0.44	
33		0.5	77	0.94	0.7
34	0.44		78		
35	0.94	0.5	79	0.44	0.7
36	Standard F	Rail Length	80	0.94	
37	0.44	0.5	81	1.44	0.7
38	0.94	1	82	0.44	
39		1.5	83	0.94	0.7
40	0.44		84	0	
41	0.94	0.6	85	0.5	0.7
42			86	1	
43	0.44	0.6	87		0.8
44	0.94		88	0.49	
45		0.6	89	1	0.8
46	0.44		90		
47	0.94	0.6	91	0.47	0.8
48	Standard F	Rail Length	92	0.94	
49	0.44	0.6	93		0.8
50	0.94		94	0.44	
51		0.6	95	0.94	0.8
52	0.44		96		