



8165 E Kaiser Blvd. Anaheim, CA 92808
www.lightlaboratory.com

Report No: L121911547TM30

Date: 1/20/2020







TM-30-15 REPORT

| | |
|----------------------|---|
| Report No: | L121911547TM30 |
| Prepared For: | Vode Lighting 21684 8th Street East, Suite 700, Sonoma, CA 95476 |
| Model Number: | 707-Z3-48-Z-CC-SO-359-U1S2-AL |
| Testing Lab: | Light Laboratory Inc. |
| Reference report No: | L121911547 |
| Remark: | This report is based on the data from Light Laboratory Inc. report L121911547 |

Results Summary


| Metric | Result | Notes |
|--------------|---------|---|
| R_f | 90 | IES TM-30-15 Fidelity Index |
| R_g | 99 | IES TM-30-15 Gamut Index |
| CIE R_a | 94 | CIE Test Color Method General Index |
| R_9 | 55 | CIE Test Color Method Sample Nine Score |
| $R_{f,skin}$ | 94 | Average of CES15 and CES18 (skin) |
| CCT | 3410 | Correlated Color Temperature |
| D_{uv} | -0.0005 | Distance from the blackbody locus |
| x | 0.4099 | CIE 1931 chromaticity coordinate |
| y | 0.3918 | CIE 1931 chromaticity coordinate |
| u | 0.2382 | CIE 1960 chromaticity coordinate |
| v | 0.3416 | CIE 1960 chromaticity coordinate |
| u' | 0.2382 | CIE 1976 chromaticity coordinate |
| v' | 0.5124 | CIE 1976 chromaticity coordinate |





| Hue Bin | R_i | Graphic shifts (%) | |
|---------|-------|--------------------|------|
| | | Chroma | Hue |
| 1 | 89 | -5% | 0% |
| 2 | 92 | -3% | 2% |
| 3 | 92 | -1% | 3% |
| 4 | 94 | -2% | 0% |
| 5 | 92 | -4% | 1% |
| 6 | 96 | 1% | 1% |
| 7 | 93 | -2% | 1% |
| 8 | 97 | 1% | 1% |
| 9 | 92 | -1% | 5% |
| 10 | 88 | -1% | 7% |
| 11 | 86 | 3% | 7% |
| 12 | 87 | 7% | 0% |
| 13 | 90 | 2% | -6% |
| 14 | 85 | 4% | -10% |
| 15 | 86 | -1% | -8% |
| 16 | 84 | -2% | -7% |

Hue Angle Bin vs. Fidelity Index



Hue Angle Bin vs. Change of Chroma

